


### *Amendments to the Claims*

This listing of claims will replace all prior versions, and listings, of claims in the application.

1. (Previously Presented) Compounds of the formula (I)



in which


X is halogen, alkyl, alkoxy, alkenyloxy, alkylthio, alkylsulphinyl, alkylsulphonyl, haloalkyl, haloalkoxy, haloalkenyloxy, nitro, or cyano;

Z is substituted aryl or substituted hetaryl;

W and Y independently of one another are hydrogen, halogen, alkyl, alkoxy, alkenyloxy, haloalkyl, haloalkoxy, haloalkenyloxy, nitro or cyano;

A and D together with the atoms to which they are attached are a saturated or unsaturated 6- or 7-membered ring which optionally contains at least one further heteroatom and which is unsubstituted or substituted in the A,D moiety or represent an optionally substituted 5-membered ring;

G is hydrogen (a) or is selected from the group consisting of:



in which

E is a metal ion or an ammonium;

L is oxygen or sulphur;

M is oxygen or sulphur;

$\text{R}^1$  optionally halogen-substituted alkyl, alkenyl, alkoxyalkyl, alkylthioalkyl, polyalkoxyalkyl or optionally halogen-, alkyl- or alkoxy-substituted cycloalkyl which may be interrupted by at least one heteroatom, is optionally substituted phenyl, phenylalkyl, hetaryl, phenoxyalkyl or hetaryloxyalkyl;

$\text{R}^2$  is optionally halogen-substituted alkyl, alkenyl is optionally substituted cycloalkyl, phenyl or benzyl;

$\text{R}^3$ ,  $\text{R}^4$  and  $\text{R}^5$  independently of one another are optionally halogen-substituted alkyl, alkoxy, alkylamino, dialkylamino, alkylthio, alkenylthio, cycloalkylthio or is substituted phenyl, benzyl, phenoxy or phenylthio; and


$\text{R}^6$  and  $\text{R}^7$  independently are hydrogen, optionally halogen-substituted alkyl, cycloalkyl, alkenyl, alkoxy, alkoxyalkyl, optionally substituted phenyl, is optionally substituted benzyl or together with the N atom to which they are attached are a ring which is optionally interrupted by oxygen or sulphur.

2. (Currently Amended) Compounds of the formula (I) according to Claim 1  
in which

X is halogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-haloalkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>3</sub>-C<sub>6</sub>-alkenyloxy, C<sub>1</sub>-C<sub>6</sub>-alkylthio, C<sub>1</sub>-C<sub>6</sub>-alkylsulphinyl, C<sub>1</sub>-C<sub>6</sub>-alkylsulphonyl, C<sub>1</sub>-C<sub>6</sub>-haloalkoxy, C<sub>3</sub>-C<sub>6</sub>-haloalkenyloxy, nitro or cyano;

W and Y independently are hydrogen, halogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-haloalkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>1</sub>-C<sub>6</sub>-haloalkoxy, nitro or cyano;

Z is one of the radicals selected from the group consisting of:



;

V<sup>1</sup> is halogen, C<sub>1</sub>-C<sub>12</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>1</sub>-C<sub>6</sub>-alkylthio, C<sub>1</sub>-C<sub>6</sub>-alkylsulphinyl, C<sub>1</sub>-C<sub>6</sub>-alkylsulphonyl, C<sub>1</sub>-C<sub>4</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy, nitro, cyano or represents phenyl, phenoxy, phenoxy-C<sub>1</sub>-C<sub>4</sub>-alkyl, phenyl-C<sub>1</sub>-C<sub>4</sub>-alkoxy, phenylthio-C<sub>1</sub>-C<sub>4</sub>-alkyl or phenyl-C<sub>1</sub>-C<sub>4</sub>-alkylthio, each of which is optionally mono- or polysubstituted by halogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>1</sub>-C<sub>4</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy, nitro or cyano;





V<sup>2</sup> and V<sup>3</sup> independently are hydrogen, halogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>1</sub>-C<sub>4</sub>-haloalkyl or C<sub>1</sub>-C<sub>4</sub>-haloalkoxy;

A and D together are optionally substituted C<sub>4</sub>-C<sub>6</sub>-alkanediyl or C<sub>4</sub>-C<sub>6</sub>-alkenediyl in which optionally one methylene group may be replaced by oxygen or sulphur,

wherein possible substituents are:


halogen, hydroxyl, mercapto or optionally halogen-substituted C<sub>1</sub>-C<sub>10</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>1</sub>-C<sub>6</sub>-alkylthio, C<sub>3</sub>-C<sub>7</sub>-cycloalkyl, phenyl, benzyloxy or a further C<sub>1</sub>-C<sub>6</sub>-alkanediyl grouping,

or which optionally contains one of the following groups



or is C<sub>3</sub>-alkanediyl which is optionally mono- to trisubstituted by halogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkyl or C<sub>1</sub>-C<sub>6</sub>-alkoxy;

G is hydrogen (a) or selected from the group consisting of:



in which

E is a metal ion or an ammonium ion;

L is oxygen or sulphur; and

M is oxygen or sulphur;

R<sup>1</sup> is optionally halogen-substituted C<sub>1</sub>-C<sub>20</sub>-alkyl, C<sub>2</sub>-C<sub>20</sub>-alkenyl, C<sub>1</sub>-C<sub>8</sub>-alkoxy-C<sub>1</sub>-C<sub>8</sub>-alkyl, C<sub>1</sub>-C<sub>8</sub>-alkylthio-C<sub>1</sub>-C<sub>8</sub>-alkyl, ~~poly-C<sub>1</sub>-C<sub>8</sub>-alkoxy-C<sub>1</sub>-C<sub>8</sub>-alkyl~~ poly-C<sub>1</sub>-C<sub>8</sub>-alkoxy-C<sub>1</sub>-C<sub>8</sub>-alkyl or optionally halogen, C<sub>1</sub>-C<sub>6</sub>-alkyl or C<sub>1</sub>-C<sub>6</sub>-alkoxy-substituted C<sub>3</sub>-C<sub>8</sub>-cycloalkyl in which optionally one or more not directly adjacent ring members are replaced by oxygen and/or sulphur,

is optionally halogen-, cyano-, nitro-, C<sub>1</sub>-C<sub>6</sub>-alkyl-, C<sub>1</sub>-C<sub>6</sub>-alkoxy-, C<sub>1</sub>-C<sub>6</sub>-haloalkyl-, C<sub>1</sub>-C<sub>6</sub>-haloalkoxy-, C<sub>1</sub>-C<sub>6</sub>-alkylthio- or C<sub>1</sub>-C<sub>6</sub>-alkylsulphonylsubstituted phenyl,

is optionally halogen-, nitro-, cyano-, C<sub>1</sub>-C<sub>6</sub>-alkyl-, C<sub>1</sub>-C<sub>6</sub>-alkoxy-, C<sub>1</sub>-C<sub>6</sub>-haloalkyl- or C<sub>1</sub>-C<sub>6</sub>-haloalkoxy-substituted phenyl-C<sub>1</sub>-C<sub>6</sub>-alkyl,

is optionally halogen- or C<sub>1</sub>-C<sub>6</sub>-alkyl-substituted 5- or 6-membered hetaryl,

is optionally halogen- or C<sub>1</sub>-C<sub>6</sub>-alkyl-substituted phenoxy-C<sub>1</sub>-C<sub>6</sub>-alkyl or

is optionally halogen-, amino- or C<sub>1</sub>-C<sub>6</sub>-alkyl-substituted 5-or 6-membered heteroalkoxy-C<sub>1</sub>-C<sub>6</sub>-alkyl;

R<sup>2</sup> is optionally halogen-substituted C<sub>1</sub>-C<sub>20</sub>-alkyl, C<sub>2</sub>-C<sub>20</sub>-alkenyl, C<sub>1</sub>-C<sub>8</sub>-alkoxy-C<sub>2</sub>-C<sub>8</sub>-alkyl, poly-C<sub>1</sub>-C<sub>8</sub>-alkoxy-C<sub>2</sub>-C<sub>8</sub>-alkyl,

is optionally halogen-, C<sub>1</sub>-C<sub>6</sub>-alkyl- or C<sub>1</sub>-C<sub>6</sub>-alkoxy-substituted C<sub>3</sub>-C<sub>8</sub>-cycloalkyl  
or

is optionally halogen-, cyano-, nitro-, C<sub>1</sub>-C<sub>6</sub>-alkyl-, C<sub>1</sub>-C<sub>6</sub>-alkoxy-, C<sub>1</sub>-C<sub>6</sub>-haloalkyl- or C<sub>1</sub>-C<sub>6</sub>-haloalkoxy-substituted phenyl or benzyl;

R<sup>3</sup> is optionally halogen-substituted C-C<sub>8</sub>-alkyl or is optionally halogen-, C<sub>1</sub>-C<sub>6</sub>-alkyl-, C<sub>1</sub>-C<sub>6</sub>-alkoxy-, C<sub>1</sub>-C<sub>4</sub>-haloalkyl-, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy-, cyano- or nitro-substituted phenyl or benzyl;

R<sup>4</sup> and R<sup>5</sup> independently are optionally halogen-substituted C<sub>1</sub>-C<sub>8</sub>-alkyl, C<sub>1</sub>-C<sub>8</sub>-alkoxy, C<sub>1</sub>-C<sub>8</sub>-alkylamino, di-(C<sub>1</sub>-C<sub>8</sub>-alkyl)-amino, C<sub>1</sub>-C<sub>8</sub>-alkylthio, C<sub>2</sub>-C<sub>8</sub>-alkenylthio, C<sub>3</sub>-C<sub>7</sub>-cycloalkylthio or are optionally halogen-, nitro-, cyano-, C<sub>1</sub>-C<sub>4</sub>-alkoxy-, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy-, C<sub>1</sub>-C<sub>4</sub>-alkylthio-, C<sub>1</sub>-C<sub>4</sub>-haloalkylthio-, C<sub>1</sub>-C<sub>4</sub>-alkyl- or C<sub>1</sub>-C<sub>4</sub>-haloalkylsubstituted phenyl, phenoxy or phenylthio;

R<sup>6</sup> and R<sup>7</sup> independently are hydrogen, optionally halogen-substituted C<sub>1</sub>-C<sub>8</sub>-alkyl, C<sub>3</sub>-C<sub>8</sub>-cycloalkyl, C<sub>1</sub>-C<sub>8</sub>-alkoxy, C<sub>3</sub>-C<sub>8</sub>-alkenyl, C<sub>1</sub>-C<sub>8</sub>-alkoxy-C<sub>1</sub>-C<sub>8</sub>-alkyl, optionally halogen-, C<sub>1</sub>-C<sub>8</sub>-haloalkyl-, C<sub>1</sub>-C<sub>8</sub>-alkyl- or C<sub>1</sub>-C<sub>8</sub>-alkoxy-substituted phenyl, optionally halogen-, C<sub>1</sub>-C<sub>8</sub>-alkyl-, C<sub>1</sub>-C<sub>8</sub>-haloalkyl- or C<sub>1</sub>-C<sub>8</sub>-alkoxy-substituted benzyl or together are an optionally C<sub>1</sub>-C<sub>4</sub>-alkyl-substituted C<sub>3</sub>-C<sub>6</sub>-alkylene radical in which optionally one methylene group is replaced by oxygen or sulphur;

R<sup>13</sup> is hydrogen, optionally halogen-substituted C<sub>1</sub>-C<sub>8</sub>-alkyl or C<sub>1</sub>-C<sub>8</sub>-alkoxy, optionally halogen-, C<sub>1</sub>-C<sub>4</sub>-alkyl- or C<sub>1</sub>-C<sub>4</sub>-alkoxy-substituted C<sub>3</sub>-C<sub>8</sub>-cycloalkyl in which optionally one methylene group is replaced by oxygen or sulphur, or halogen-, C<sub>1</sub>-C<sub>6</sub>-alkyl-, C<sub>1</sub>-C<sub>6</sub>-alkoxy-, C<sub>1</sub>-C<sub>4</sub>-haloalkyl-, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy-, nitro- or cyano-substituted phenyl, phenyl-C<sub>1</sub>-C<sub>4</sub>-alkyl or phenyl-C<sub>1</sub>-C<sub>4</sub>-alkoxy;

R<sup>14</sup> is hydrogen or C<sub>1</sub>-C<sub>8</sub>-alkyl; or

R<sup>13</sup> and R<sup>14</sup> together are C<sub>4</sub>-C<sub>6</sub>-alkanediyl;

R<sup>15</sup> and R<sup>16</sup> are identical or different and are C<sub>1</sub>-C<sub>6</sub>-alkyl; or

R<sup>15</sup> and R<sup>16</sup> together are a C<sub>2</sub>-C<sub>4</sub>-alkanediyl radical which is optionally substituted by C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-haloalkyl or by optionally halogen-, C<sub>1</sub>-C<sub>6</sub>-alkyl-, C<sub>1</sub>-C<sub>4</sub>-haloalkyl-, C<sub>1</sub>-C<sub>6</sub>-alkoxy-, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy-, nitro- or cyano-substituted phenyl;

R<sup>17</sup> and R<sup>18</sup> independently are hydrogen, optionally halogen-substituted C<sub>1</sub>-C<sub>8</sub>-alkyl or are optionally halogen-, C<sub>1</sub>-C<sub>6</sub>-alkyl-, C<sub>1</sub>-C<sub>6</sub>-alkoxy-, C<sub>1</sub>-C<sub>4</sub>-haloalkyl-, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy-, nitro- or cyano-substituted phenyl; or

R<sup>17</sup> and R<sup>18</sup> together with the carbon atom to which they are attached are a carbonyl group or optionally halogen-, C<sub>1</sub>-C<sub>4</sub>-alkyl- or C<sub>1</sub>-C<sub>4</sub>-alkoxy-substituted C<sub>5</sub>-C<sub>7</sub>-cycloalkyl in which optionally one methylene group is replaced by oxygen or sulphur;

R<sup>19</sup> and R<sup>20</sup> independently are C<sub>1</sub>-C<sub>10</sub>-alkyl, C<sub>2</sub>-C<sub>10</sub>-alkenyl, C<sub>1</sub>-C<sub>10</sub>-alkoxy, C<sub>1</sub>-C<sub>10</sub>-alkylamino, C<sub>3</sub>-C<sub>10</sub>-alkenylamino, di-(C<sub>1</sub>-C<sub>10</sub>-alkyl)-amino or di-(C<sub>3</sub>-C<sub>10</sub>-alkenyl)amino.


3. (Previously Presented) Compounds of the formula (I) according to Claim 1 in which

W is hydrogen, fluorine, chlorine, bromine, methyl, ethyl, methoxy or ethoxy;

X is fluorine, chlorine, bromine, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, C<sub>3</sub>-C<sub>4</sub>-alkenyloxy, C<sub>1</sub>-C<sub>4</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy, C<sub>3</sub>-C<sub>4</sub>-haloalkenyloxy, nitro or cyano;

Y is hydrogen, fluorine, chlorine, bromine, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>2</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy or C<sub>1</sub>-C<sub>2</sub>-haloalkoxy;

Z is one of the radicals selected from the group consisting of:




V<sup>1</sup> is fluorine, chlorine, bromine, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, C<sub>1</sub>-C<sub>4</sub>-alkylthio, C<sub>1</sub>-C<sub>4</sub>-alkylsulphonyl, C<sub>1</sub>-C<sub>2</sub>-haloalkyl, C<sub>1</sub>-C<sub>2</sub>-haloalkoxy, nitro, cyano or is phenyl, phenoxy, phenoxy-C<sub>1</sub>-C<sub>2</sub>-alkyl, phenyl-C<sub>1</sub>-C<sub>2</sub>-alkoxy, phenylthio-C<sub>1</sub>-C<sub>2</sub>-alkyl or phenyl-C<sub>1</sub>-C<sub>2</sub>-alkylthio, each of which is optionally mono- or disubstituted by fluorine, chlorine, bromine, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, C<sub>1</sub>-C<sub>2</sub>-haloalkyl, C<sub>1</sub>-C<sub>2</sub>-haloalkoxy, nitro or cyano;

V<sup>2</sup> and V<sup>3</sup> independently are hydrogen, fluorine, chlorine, bromine, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, C<sub>1</sub>-C<sub>2</sub>-haloalkyl or C<sub>1</sub>-C<sub>2</sub>-haloalkoxy;

A and D together are optionally substituted C<sub>4</sub>-C<sub>5</sub>-alkanediyl in which optionally one methylene group may be replaced by a carbonyl group, oxygen or sulphur, possible substituents being hydroxyl, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy or a further C<sub>1</sub>-C<sub>4</sub>-alkanediyl grouping, or



which optionally contains one of the following groups





or are C<sub>3</sub>-alkanediyl which is optionally mono- or disubstituted by fluorine, chlorine, trifluoromethyl, methyl, ethyl or methoxy;

G is hydrogen (a) or selected from the group consisting of:



in which

E is a metal ion or an ammonium ion;

L is oxygen or sulphur; and

M is oxygen or sulphur;

R<sup>1</sup> is C<sub>1</sub>-C<sub>8</sub>-alkyl, C<sub>2</sub>-C<sub>8</sub>-alkenyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy-C<sub>1</sub>-C<sub>2</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkylthio-C<sub>1</sub>-C<sub>2</sub>-alkyl, each of which is optionally mono- to trisubstituted by fluorine or chlorine, or is C<sub>3</sub>-C<sub>6</sub>-cycloalkyl which is optionally mono- or disubstituted by fluorine, chlorine, C<sub>1</sub>-C<sub>2</sub>-alkyl or C<sub>1</sub>-C<sub>2</sub>-alkoxy and in which optionally one or two not directly adjacent ring members are replaced by oxygen,

is phenyl which is optionally mono- or disubstituted by fluorine, chlorine, bromine, cyano, nitro, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, C<sub>1</sub>-C<sub>2</sub>-haloalkyl or C<sub>1</sub>-C<sub>2</sub>-haloalkoxy,

R<sup>2</sup> is C<sub>1</sub>-C<sub>8</sub>-alkyl, C<sub>2</sub>-C<sub>8</sub>-alkenyl or C<sub>1</sub>-C<sub>4</sub>-alkoxy-C<sub>2</sub>-C<sub>4</sub>-alkyl, each of which is optionally mono- to trisubstituted by fluorine,

is C<sub>3</sub>-C<sub>6</sub>-cycloalkyl which is optionally monosubstituted by C<sub>1</sub>-C<sub>2</sub>-alkyl or C<sub>1</sub>-C<sub>2</sub>-alkoxy, or

is phenyl or benzyl, each of which is optionally mono- or disubstituted by fluorine, chlorine, bromine, cyano, nitro, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>3</sub>-alkoxy, trifluoromethyl or trifluoromethoxy;

R<sup>3</sup> is C<sub>1</sub>-C<sub>6</sub>-alkyl which is optionally mono- to trisubstituted by fluorine or is phenyl or benzyl, each of which is optionally monosubstituted by fluorine, chlorine, bromine, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, trifluoromethyl, trifluoromethoxy, cyano or nitro;

R<sup>4</sup> is C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>1</sub>-C<sub>6</sub>-alkylamino, di-(C<sub>1</sub>-C<sub>6</sub>-alkyl)amino, C<sub>1</sub>-C<sub>6</sub>-alkylthio, C<sub>3</sub>-C<sub>4</sub>-alkenylthio, C<sub>3</sub>-C<sub>6</sub>-cycloalkylthio, each of which is optionally mono- to trisubstituted by fluorine, or is phenyl, phenoxy or phenylthio, each of which is optionally mono- or disubstituted by fluorine, chlorine, bromine, nitro, cyano, C<sub>1</sub>-C<sub>3</sub>-alkoxy, C<sub>1</sub>-C<sub>3</sub>-haloalkoxy, C<sub>1</sub>-C<sub>3</sub>-alkylthio, C<sub>1</sub>-C<sub>3</sub>-haloalkylthio, C<sub>1</sub>-C<sub>3</sub>-alkyl or trifluoromethyl;

R<sup>5</sup> is C<sub>1</sub>-C<sub>6</sub>-alkoxy or C<sub>1</sub>-C<sub>6</sub>-alkylthio;

R<sup>6</sup> is hydrogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>3</sub>-C<sub>6</sub>-cycloalkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>3</sub>-C<sub>6</sub>-alkenyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy-C<sub>1</sub>-C<sub>4</sub>-alkyl, each of which is optionally mono- to trisubstituted by fluorine, is phenyl which is optionally mono- or disubstituted by fluorine, chlorine, bromine, trifluoromethyl, C<sub>1</sub>-C<sub>4</sub>-alkyl or C<sub>1</sub>-C<sub>4</sub>-alkoxy, is benzyl which is optionally monosubstituted by fluorine, chlorine, bromine, C<sub>1</sub>-C<sub>4</sub>-alkyl, trifluoromethyl or C<sub>1</sub>-C<sub>4</sub>-alkoxy;

R<sup>7</sup> is C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>3</sub>-C<sub>6</sub>-alkenyl or C<sub>1</sub>-C<sub>6</sub>-alkoxy-C<sub>1</sub>-C<sub>4</sub>-alkyl;

R<sup>6</sup> and R<sup>7</sup> together are a C<sub>4-5</sub>-alkylene radical which is optionally mono- or disubstituted by methyl or ethyl and in which optionally one methylene group is replaced by oxygen or sulphur;

R<sup>15</sup> and R<sup>16</sup> are identical and are C<sub>1</sub>-C<sub>4</sub>-alkyl;

R<sup>15</sup> and R<sup>16</sup> together are a C<sub>2</sub>-C<sub>3</sub>-alkanediyl radical which is optionally mono- or disubstituted by methyl, ethyl, propyl or isopropyl;

$R^{17}$  and  $R^{18}$  independently are hydrogen, represent methyl, ethyl, propyl, isopropyl, butyl, isobutyl or tert-butyl, each of which is optionally mono-to trisubstituted by fluorine and/or chlorine;

$R^{17}$  and  $R^{18}$  together with the carbon to which they are attached are a carbonyl group or are optionally methyl-, ethyl-, methoxy- or ethoxy-substituted  $C_5$ - $C_6$ -cycloalkyl in which optionally one methylene group is replaced by oxygen.


4. (Previously Presented) Compounds of the formula (I) according to Claim 1 in which

W is hydrogen, methyl, ethyl or chlorine;

X is chlorine, methyl, ethyl, propyl, methoxy, ethoxy, propoxy or trifluoromethyl;

Y is hydrogen, chlorine or methyl;

Z is one of the radicals selected from the group consisting of:




$V^1$  is fluorine, chlorine, bromine, methyl, ethyl, n-propyl, isopropyl, n-butyl, isobutyl, tert-butyl, methoxy, ethoxy, n-propoxy, isopropoxy, trifluoromethyl, trifluoromethoxy;  $SO_2C_2H_5$ ,  $SCH_3$ , phenoxy, nitro or cyano;

V<sup>2</sup> and V<sup>3</sup> independently are hydrogen, fluorine, chlorine, methyl, methoxy or trifluoromethyl;

A and D together are optionally substituted C<sub>4-5</sub>-alkanediyl in which optionally one methylene group is replaced by oxygen or sulphur and which is optionally substituted by hydroxyl, methyl, ethyl, methoxy, ethoxy or by a further C<sub>1</sub>-C<sub>4</sub>-alkanediyl grouping or represent C<sub>3</sub>-alkanediyl which is optionally mono- or disubstituted by fluorine, methyl, trifluoromethyl or methoxy;

G is hydrogen (a) or is selected from the group consisting of:



in which

E is a metal ion equivalent or an ammonium ion;

L is oxygen or sulphur; and

M is oxygen or sulphur;

R<sup>1</sup> is C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>2</sub>-C<sub>6</sub>-alkenyl, C<sub>1</sub>-C<sub>2</sub>-alkoxy-C<sub>1</sub>-alkyl, C<sub>1</sub>-C<sub>2</sub>-alkylthio-C<sub>1</sub>-alkyl, each of which is optionally mono- to trisubstituted by fluorine, or represents cyclopropyl or cyclohexyl, each of which is optionally monosubstituted by fluorine, chlorine, methyl or methoxy,

is phenyl which is optionally monosubstituted by fluorine, chlorine, bromine, cyano, nitro, methyl, methoxy, trifluoromethyl or trifluoromethoxy;

$R^2$  is  $C_1$ - $C_8$ -alkyl,  $C_2$ - $C_6$ -alkenyl or  $C_1$ - $C_4$ -alkoxy- $C_2$ - $C_3$ -alkyl, each of which is optionally monosubstituted by fluorine,

or is phenyl or benzyl, each of which is optionally monosubstituted by fluorine, chlorine, cyano, nitro, methyl, ethyl, n-propyl, i-propyl, methoxy, ethoxy, trifluoromethyl or trifluoromethoxy;

$R^3$  is methyl, ethyl, n-propyl, isopropyl, each of which is optionally mono- to trisubstituted by fluorine, or represents phenyl or benzyl, each of which is optionally monosubstituted by fluorine, chlorine, bromine, methyl, tert-butyl, methoxy, trifluoromethyl, trifluoromethoxy, cyano or nitro;

$R^4$  is  $C_1$ - $C_4$ -alkyl,  $C_1$ - $C_4$ -alkoxy,  $C_1$ - $C_4$ -alkylamino, di- $(C_1$ - $C_4$ -alkyl)amino,  $C_1$ - $C_4$ -alkylthio, each of which is optionally mono- to trisubstituted by fluorine, or is phenyl, phenoxy or phenylthio, each of which is optionally monosubstituted by fluorine, chlorine, bromine, nitro, cyano,  $C_1$ - $C_2$ -alkoxy,  $C_1$ - $C_2$ -fluoroalkoxy,  $C_1$ - $C_2$ -alkylthio,  $C_1$ - $C_2$ -fluoroalkylthio or  $C_1$ - $C_3$ -alkyl;

$R^5$  is methoxy, ethoxy, propoxy, butoxy, methylthio, ethylthio, propylthio or butylthio;

$R^6$  is hydrogen, represents  $C_1$ - $C_4$ -alkyl,  $C_3$ - $C_6$ -cycloalkyl,  $C_1$ - $C_4$ -alkoxy,  $C_3$ - $C_4$ -alkenyl,  $C_1$ - $C_4$ -alkoxy- $C_1$ - $C_4$ -alkyl, each of which is optionally mono- to trisubstituted by fluorine, is phenyl which is optionally monosubstituted by fluorine, chlorine, bromine, trifluoromethyl, methyl or methoxy, represents benzyl which is optionally monosubstituted by fluorine, chlorine, bromine, methyl, trifluoromethyl or methoxy;

$R^7$  is methyl, ethyl, propyl, isopropyl, butyl, isobutyl or allyl;

$R^6$  and  $R^7$  are a  $C_4$ - $C_5$ -alkylene radical in which optionally one methylene group is replaced by oxygen or sulphur.


5. (Previously Presented) Compounds of the formula (I) according to Claim 1 in which

W is hydrogen or methyl;

X is chlorine or methyl;

Y is hydrogen or methyl;

Z is one of the radicals selected from the group consisting of:




V<sup>1</sup> is fluorine, chlorine, methyl, isopropyl, methoxy, trifluoromethyl, trifluoromethoxy, SO<sub>2</sub>C<sub>2</sub>H<sub>5</sub>, SCH<sub>3</sub>, phenoxy or nitro;

V<sup>2</sup> is hydrogen, fluorine, chlorine or trifluoromethyl;

A and D together are optionally substituted C<sub>4</sub>-C<sub>5</sub>-alkanediyl in which optionally one methylene group is replaced by oxygen and which is optionally substituted by a further C<sub>1</sub>-C<sub>2</sub>-alkanediyl grouping, or are C<sub>3</sub>-alkanediyl which is optionally mono- or disubstituted by fluorine, methyl or trifluoromethyl;

G is hydrogen (a) or is selected from the group consisting of:



in which

L is oxygen; and

M is oxygen;

R<sup>1</sup> is C<sub>1</sub>-C<sub>6</sub>-alkyl or cyclopropyl;

R<sup>2</sup> is C<sub>1</sub>-C<sub>8</sub>-alkyl or C<sub>1</sub>-C<sub>4</sub>-alkoxy-C<sub>2</sub>-C<sub>3</sub>-alkyl;

R<sup>3</sup> is methyl, ethyl or isopropyl.

6-13. (canceled)


14. (Previously Presented) Compositions for controlling pests, comprising at least one compound of the formula (I) according to Claim 1.

15-24. (canceled)

25. (New) A compound of formula (I) according to claim 5 wherein W is hydrogen.

26. (New) A compound of formula (I) according to claim 25 wherein Y is hydrogen.

27. (New) A compound according to claim 26 wherein the compound of formula (I) is the compound of formula (I-1-a)



and wherein the variables W, X, Y, V<sup>1</sup> and V<sup>2</sup> have the following definitions:

Ex. No.	W	X	Y	V1/V2
I-1-a-2	H	CH <sub>3</sub>	H	2-Cl
I-1-a-3	H	CH <sub>3</sub>	H	3-Cl
I-1-a-4	H	CH <sub>3</sub>	H	4-Cl
I-1-a-5	H	CH <sub>3</sub>	H	2-F
I-1-a-6	H	CH <sub>3</sub>	H	3-F
I-1-a-1	H	CH <sub>3</sub>	H	4-F
I-1-a-7	H	CH <sub>3</sub>	H	2-CH <sub>3</sub>
I-1-a-8	H	CH <sub>3</sub>	H	3-CH <sub>3</sub>
I-1-a-9	H	CH <sub>3</sub>	H	4-CH <sub>3</sub>
I-1-a-10	H	CH <sub>3</sub>	H	2,3-Cl <sub>2</sub>
I-1-a-11	H	CH <sub>3</sub>	H	2,4-Cl <sub>2</sub>
I-1-a-12	H	CH <sub>3</sub>	H	2,5-Cl <sub>2</sub>
I-1-a-13	H	CH <sub>3</sub>	H	3,4-Cl <sub>2</sub>
I-1-a-14	H	CH <sub>3</sub>	H	3,5-Cl <sub>2</sub>
I-1-a-15	H	CH <sub>3</sub>	H	2,4-F <sub>2</sub>
I-1-a-16	H	CH <sub>3</sub>	H	2,5-F <sub>2</sub>
I-1-a-17	H	CH <sub>3</sub>	H	3-Cl, 4-F
I-1-a-18	H	CH <sub>3</sub>	H	2-CF <sub>3</sub>
I-1-a-19	H	CH <sub>3</sub>	H	3-CF <sub>3</sub>
I-1-a-20	H	CH <sub>3</sub>	H	4-CF <sub>3</sub>
I-1-a-21	H	CH <sub>3</sub>	H	2-OCH <sub>3</sub>
I-1-a-22	H	CH <sub>3</sub>	H	3-OCH <sub>3</sub>
I-1-a-23	H	CH <sub>3</sub>	H	4-OCH <sub>3</sub>
I-1-a-24	H	CH <sub>3</sub>	H	3-SO <sub>2</sub> C <sub>2</sub> H <sub>5</sub>
I-1-a-25	H	CH <sub>3</sub>	H	4-SO <sub>2</sub> C <sub>2</sub> H <sub>5</sub>
I-1-a-26	H	CH <sub>3</sub>	H	3-NO <sub>2</sub>
I-1-a-27	H	CH <sub>3</sub>	H	4-OCF <sub>3</sub>
I-1-a-28	H	CH <sub>3</sub>	H	4-OPh
I-1-a-29	H	CH <sub>3</sub>	H	4-SCH <sub>3</sub>
I-1-a-30	H	CH <sub>3</sub>	H	4-i-C <sub>3</sub> H <sub>7</sub>
I-1-a-31	H	CH <sub>3</sub>	H	3,5-(CF <sub>3</sub> ) <sub>2</sub>



I-1-a-37	H	Cl	H	4-CF <sub>3</sub>
I-1-a-38	H	Cl	H	4-Cl
I-1-a-39	H	Cl	H	4-F
I-1-a-40	H	Cl	H	3,4-Cl <sub>2</sub>
I-1-a-41	H	Cl	H	2,4-Cl <sub>2</sub>
I-1-a-42	H	Cl	H	2,4-F <sub>2</sub>
I-1-a-43	H	Cl	H	3,5-Cl <sub>2</sub>
I-1-a-44	H	Cl	H	4-F, 3-Cl
I-1-a-45	H	Cl	H	2,5-Cl <sub>2</sub>